

DOOSAN

DOOSAN ROBOT SERIES





www.doosanrobotics.com/en

[in](#) [v](#) [f](#) [Q](#) Doosan Robotics

[@doosan_robotics](#)

[doosanrobotics](#)

Scan the QR code to link to the Doosan Robotics homepage

79 Saneopro156-gil, Gwonseon-gu, Suwon-si, Gyeonggi-do, Korea
+82-31-8014-5500

HQ | marketing.robotics@doosan.com
DR Americas | marketUS.robotics@doosan.com
DR Europe | marketEU.robotics@doosan.com

The World's First Motion Platform Company

Doosan Robotics



5 KG
TO
30 KG

Tips for reading
Doosan robot model names

H
Series

25
Payload(kg)

1.5
Reach(m)

Payload
15~30 kg



P3020



H2515



H2017



M1509

Payload
9~10 kg



M1013



A0912



A0912S

Payload
5~6 kg



M0617



M0609



A0509



A0509S

F&B
dedicated
model

Splash Zone



A0509F



A0912F

Food Zone Non Contact




E0509



For more information on
Doosan collaborative
robots, scan the QR code

Prime P-SERIES



Leading innovation in palletizing application,
P-SERIES!
With a payload of 30kg and a working radius
of 2,030mm it surpasses existing limits with
top-notch specifications

High-power H-SERIES



The H-SERIES is the most powerful
collaborative robot on the market!
Its incredible payload of 25 kg and
6-axis torque sensor, along with its
high performance from low electrical power,
enable sophisticated and safe work

Masterpiece M-SERIES



M-SERIES is the highest quality
premium cobot! 6 high-tech torque sensors
provide the highest dexterity for highly
sophisticated tasks and ensure the upmost
safety with the highest collision sensitivity

Agile A-SERIES



A-SERIES can go anywhere!
With its superior speed and cost-effectiveness,
A-SERIES promises a simple solution and
a satisfaction to whom may be
hesitant to get a cobot

Edge E-SERIES



E-SERIES is the most optimal cobot in
Food & Beverage industry
This unmatched NSF Food zone and
IP66 rating accredited cobot is highly
adaptable in any spaces and
ready to increase the productivity