

7 YEARS
WARRANTY

MADE IN GERMANY

KRAFTWERK®

FAVORITE TOOLS SINCE 1979

MOBILIO PRO

M O D U L A R
W O R K S H O P
E Q U I P M E N T
S Y S T E M

2026



kraftwerktools.com

Quality you can feel – Made in Germany Vision & Values



We believe in products with a clear origin.
In quality you can see, feel – and appreciate for the long term.

With **MOBILIO PRO**, we deliberately invest in
“**Made in Europe**”: in our production facility in Germany,
in state-of-the-art manufacturing technologies, in knowledge
– and in people who build workshop furniture with true
passion.
The result is well thought-out solutions of the highest
quality – at fair prices and with a clear focus on the future of
KRAFTWERK.

MOBILIO PRO stands for maximum freedom:
modular in design, flexibly expandable and individually
configurable. From smart accessory solutions to
personalised colour concepts. Thanks to our new, highly
advanced powder coating system, almost any colour request
can be realised.

- A product with a future.
- A sustainable system.
- 7-year warranty.

A workshop system
that meets the highest demands -
today and tomorrow.

Alexander Wüthrich
CEO

KRAFTWERK Group AG
8617 Mönchaltorf, Switzerland

David Bühl
Head of Production

KRAFTWERK Industry GmbH & Co. KG
39443 Stassfurt, Germany



7-year warranty is our commitment to quality.

All products manufactured in Germany are designed for durability, high load capacity and long-term use.

Because we take full responsibility for materials, design and manufacturing – right through to final inspection – we know exactly what our products are capable of.

That is why we go beyond the standard: a **7-year warranty**, as a clear sign of our confidence in quality you can rely on.



MOBILIO PRO

For demanding work

MOBILIO PRO offers modular workshop solutions for every scale – from compact workstations to complete industrial halls. Each element is intelligently designed, extremely robust and built to last, with practical features that noticeably simplify everyday work. Efficient, well-structured workflows meet quality that inspires – a workshop system that simply works and is a pleasure to use.





5



6



7



8



9

1 Wall cabinets - stable & convenient
Folding hinge with soft-close and load capacity up to 40 kg for safe and comfortable storage space.

2 Drawers - heavy-duty & quiet
Soft-close and **full extension** with a **load capacity up to 90 kg**.
High drawers can optionally be equipped with **additional rail systems, up to 180 kg load capacity**.

3 Robust construction
1,25 mm material thickness for high stability and long service life.
Material: non-alloy quality cold-rolled steel (DC01).

4 Back panels and mounting system
Square perforation for clearly visible and easily accessible tool storage.
Wide range of tool hooks and accessories available (from page 12).
Opening for cable routing.

5 Solid wood worktop beech
40 mm solid beech worktop, **stable, durable and pleasant** for daily use.

6 Easy assembly
The system is optimised for **simple installation** and can be easily assembled by two people.

7 Precise alignment
Levelling feet **adjustable conveniently from the inside**.

8 Easy transport by forklift
For this purpose, the base cover is removed to allow flexible positioning of base and tall cabinets.

9 Integrated cable routing
Every **MOBILIO PRO** drawer unit is **equipped as standard with a high-quality cable outlet in the bottom drawer**, allowing power connections or chargers to be neatly integrated.

10 Pneumatic connection
Prepared for pneumatic connection.

11 Flexible & expandable
Individually configurable and expandable at any time.

12 Colour according to concept
Standard colour black RAL 9005, other colours available on request.

Already assembled for you

Workshop units



Item No. 119.006.200

MOBILIO PRO 3 element combination with wall cabinets

Drawer cabinet with seven drawers and softclose function

Drawer cabinet with two waste bins, 65 L each

2-door wing cabinet, includes 1 galvanized shelf with a load capacity of up to 50 kg


Three wall cupboards with flape hinge and integrated soft-close mechanism

Three half perforated panels

Spacious work surface with a depth of 717 mm and an ergonomic working height of 975 mm.

Material thickness: 1.25 mm, made of high-quality cold-rolled carbon steel [DC01]

Dimensions: 2145 × 2020 × 750 mm (W × D × H) | Δ 373 kg





Item No. 119.007.200

MOBILIO PRO 4-element combination with wall cabinets and a 2-door tall cabinet, installed on the right side

Drawer cabinet with seven drawers and softclose function

Drawer cabinet with two waste bins, 65 L each

2-door wing cabinet, includes 1 galvanized shelf with a load capacity of up to 50 kg

Three wall cupboards with flape hinge and integrated soft-close mechanism

Tall cabinet, 2-door, includes 4 galvanized shelves with a load capacity of up to 50 kg each

Three half perforated panels

Spacious work surface with a depth of 717 mm and an ergonomic working height of 975 mm


Material thickness: 1.25 mm, made of high-quality cold-rolled carbon steel (DC01)



Item No. 119.007.201

MOBILIO PRO 4-element combination with wall cabinet and a 2-door tall cabinet, installed on the left side

Dimensions: 3000 x 2020 x 750 mm (W x D x H) | ΔTΔ 461 kg



MOBILIO PRO

Furniture modules

Base cabinets



Item No. 109.000.002

MOBILIO PRO 2-door hinged door cabinet

Includes 1 galvanized shelf with a load capacity of up to 50 kg
Central locking system
Material thickness: 1.25 mm, made of high-quality cold-rolled carbon steel (DC01)
Internal dimensions: 690 × 700 × 654 mm (W × H × D)
Overall dimensions: 715 × 950 × 697 mm (W × H × D) | Δ 85 kg



Soft-Close
drawers



Item No. 109.000.005

MOBILIO PRO drawer cabinet, with 5 drawers

Central locking system
With 1 drawer 600 × 600 × 75 mm (W × D × H)
With 4 drawers 600 × 600 × 154 mm (W × D × H)
Drawers with a load capacity of up to 90 kg each and full-extension softclose drawers
Material thickness: 1.25 mm, made of high-quality cold-rolled carbon steel (DC01)
Every MOBILIO PRO drawer cabinet features a high-quality cable pass-through in the bottom drawer as standard, allowing for the seamless integration of power connections or chargers.
High drawers can optionally be upgraded with an additional rail system for loads up to 180 kg (Item No. 109.000.902)
Overall dimensions: 715 × 950 × 697 mm (W × H × D) | Δ 93 kg



Soft-Close
drawers



Item No. 109.000.007

MOBILIO PRO drawer cabinet, with 7 drawers

Central locking system
With 5 drawers 600 × 600 × 75 mm (W × D × H)
With 2 drawers 600 × 600 × 154 mm (W × D × H)
Drawers with up to 90 kg load capacity, full-extension and softclose
Material thickness: 1.25 mm, made of high-quality cold-rolled carbon steel (DC01)
Every MOBILIO PRO drawer cabinet features a high-quality cable pass-through in the bottom drawer as standard, allowing for the seamless integration of power connections or chargers.
High drawers can optionally be upgraded with an additional rail system for loads up to 180 kg (Item No. 109.000.902)
Overall dimensions: 715 × 950 × 697 mm (W × H × D) | Δ 105 kg



Soft-Close
drawer



2×
65 l

Item No. 109.000.001

MOBILIO PRO waste bin cabinet, with 1 drawer

With two waste bins of 65 l each
Soft-close drawer
Pivoting front panel
Material thickness: 1.25 mm, made of high-quality cold-rolled carbon steel (DC01)
Overall dimensions: 715 × 950 × 697 mm (W × H × D) | Δ 62 kg

Tall cabinet



Item No. 109.000.011

MOBILIO PRO base cabinet for cable and hose reel, with 1 drawer

With 1 drawer 600 × 600 × 75 mm (W × D × H)

Drawer with a load capacity of up to 90 kg and full-extension softclose drawer

Material thickness: 1.25 mm, made of high-quality cold-rolled carbon steel (DC01)

(Without cable or hose reel)

Overall dimensions: 715 × 950 × 697 mm (W × H × D) | Δ 60 kg



Wall cabinet



Item No. 109.300.000

MOBILIO PRO wall cabinet

Flap hinge with integrated soft-close mechanism

Load capacity of up to 40 kg

Material thickness: 1.25 mm, made of high-quality cold-rolled carbon steel (DC01)

Internal dimensions: 655 × 320 × 300 mm (W × H × D)

Also suitable for direct wall mounting

Overall dimensions: 715 × 400 × 320 mm (W × H × D) | Δ 15 kg



Item No. 109.200.002

MOBILIO PRO tall cabinet, with 2 doors

Includes 4 galvanized shelves, each with a load capacity of up to 50 kg

Material thickness: 1.25 mm, made of high-quality cold-rolled carbon steel (DC01)

Internal dimensions: 823 × 1785 × 678 mm (W × H × D)

Overall dimensions: 855 × 2030 × 717 mm (W × H × D) | Δ 85 kg

Cabinet can be mounted left or right

Please note: the required mounting side must be specified during configuration, as the design of the connecting columns depends on this.

Corner module



Open cut-out for the simple and precise integration of all **MOBILIO PRO** base cabinets.



Item No. 109.100.000

MOBILIO PRO Corner module with wall cabinets


2 wall cabinets with flape hinge and integrated soft-close mechanism, load capacity of 50 kg each
1 open corner shelf between the wall cabinets
1 corner base cabinet
4 perforated panels
2 connecting elements with cable pass-through
2 connecting elements
2 end posts
1 beech multiplex worktop
Working height of 975 mm for ergonomic working
Open cutout allowing easy integration of any base cabinet
Material thickness: 1.25 mm, made of high-quality cold-rolled carbon steel (DC01)
Overall dimensions: 1300 × 2030 × 1300 mm (W × H × D) | Δ 155 kg

It can be installed for a neat finish or removed for maximum legroom.

Dimensions of all modules



Perforated panels



No.	Item No.	Description
1	109.500.000	Perforated panel for systems without wall cabinets Dimensions: 650 × 1052 × 30 mm (W × H × D) ΔT 7 kg
2	109.500.001	Perforated panel for systems with wall cabinets Dimensions: 650 × 650 × 30 mm (W × H × D) ΔT 4 kg


Beech Worktops



Item No.	Description
109.600.001	Beech Worktop for 1 module Dimensions: 717 × 40 × 717 mm (W × H × D) ΔT 18 kg
109.600.002	Beech Worktop for 2 modules Dimensions: 1432 × 40 × 717 mm (W × H × D) ΔT 32 kg
109.600.003	Beech Worktop for 3 modules Dimensions: 2149 × 40 × 717 mm (W × H × D) ΔT 50 kg


Connecting elements

No.	Item No.	Description
1	109.500.010	Connecting element with cable pass-through , mountable from the front on the perforated panel 1907 × 122 × 33 mm (H × W × D) ΔT 4.3 kg
2	109.500.011	Connecting element wall cabinet / base cabinet, right 1907 × 90 × 33 mm (H × W × D) ΔT 3 kg
3	109.500.012	Connecting element wall cabinet / base cabinet, left 1907 × 90 × 33 mm (H × W × D) ΔT 3 kg
4	109.500.013	End post wall cabinet / base cabinet, right side 1907 × 61 × 33 mm (H × W × D) ΔT 3 kg
5	109.500.014	End post wall cabinet / base cabinet, left side 1907 × 61 × 33 mm (H × W × D) ΔT 3 kg



MOBILIO PRO


Accessories for perforated panels



Tool holder

with straight rods

Item No.	1 mm	Ø mm	ΔΔ g
145.100.050	50	6	34
145.100.102	102	6	46
145.100.150	150	6	56



Double hook

with straight rods


Item No.	1 mm	Ø mm	ΔΔ g
145.110.050	50	6	74
145.110.102	102	6	98
145.110.150	150	6	118



Tool holder

with right angle


Item No.	1 mm	Ø mm	ΔΔ g
145.111.035	35	6	34
145.111.070	70	6	46
145.111.135	135	6	56



Double hook

with right angle

Item No.	1 mm	Ø mm	ΔΔ g
145.112.035	35	6	76
145.112.050	50	6	80
145.112.075	75	6	90
145.112.150	150	6	98



Tool holder, triple


Item No.		1 mm	2 mm	Ø mm	ΔΔ g
145.113.045	A	45	150	6	170
145.113.140	B	240	140	6	256



Hook

with inclined shaft

Item No.	1 mm	Ø mm	ΔΔ g
145.120.050	50	6	34
145.120.100	100	6	46
145.120.150	150	6	56
145.120.200	200	6	68



Inclined hook

Item No.	1 mm	2 mm	Ø mm	ΔΔ g
145.121.040	15	35	6	34




Tool clamp, simple

Item No.	Ø mm	ΔΔ g
145.122.006	6	24
145.122.010	10	25
145.122.013	13	26
145.122.016	16	27
145.122.019	19	28




Tool clamp, wide base plate

Item No.	1 mm	Ø mm	ΔΔ g
145.123.025	25	25	58
145.123.028	28	28	60
145.123.032	32	23	64



Round holder

Item No.	1 mm	Ø mm	ΔΔ g
145.124.027	27	65	68



Clamp holder

Item No.	1 mm	2 mm	ΔΔ g
145.125.035	35	20	62
145.125.075	75	20	62


Circular holder

Item No.	Ø mm	Δ g
145.126.060	60	72
145.126.080	80	80


ORDER IN PAIRS
Tube holder

Item No.	Δ mm	Ø mm	Δ g
145.127.060	35	60	114
145.127.100	35	100	156


ORDER IN PAIRS
Saw holder


For 4 saws

Item No.	Δ mm	Ø mm	Δ g
145.128.080	52	80	85


Wrench holder

For 10 wrenches

Item No.	Δ mm	Ø mm	Δ g
145.129.227	75-145	220	480


Screwdriver holder

For 6 or 12 screwdrivers

Item No.	Δ mm	Ø mm	Δ g
145.129.200	6	200	200
145.129.390	12	390	400


Drill bit holder

For 14 drills:
2× each Ø 3.0-4.2-6.5-7.5-8.5-16.5 mm / 1× each Ø 10.5-12.5 mm
For 28 drills:
4× each Ø 3.2-4.2-6.5-7.5-8.5-16.5 mm / 2× each Ø 10.5-12.5 mm

Item No.	Δ mm	Δ mm	Δ g
145.130.200	200	28	200
145.130.390	390	28	400


Holder for Hexagonal keys

for 9 hex keys

Item No.	Δ mm	Δ mm	Δ g
145.131.200	200	73	220


Bit holder

For 7 bits

Item No.	Δ mm	Δ mm	Δ g
145.132.150	150	35	200


Holder for sockets

for 12 sockets

Item No.	Δ mm	Δ mm	Δ g
145.133.390	390	30	500



Tool holder

For individual modification

Item No.	Δ mm	Δ mm	Δ mm	Δ g
145.134.340	325	55	135	1100


Combined holder in 2 elements

Item No.	Δ mm	Δ mm	Δ g
145.135.150	60	150	400


Tool holder with circular pockets

Item No.	Δ mm	Ø mm	Δ g
145.137.001	100	70	200


Storage shelf

For small parts and tools

Item No.	Δ mm	Δ mm	Δ g
145.138.350	350	125	600
145.138.445	445	150	900


Tool holder set for wall panel, 22 pcs.

4 × Item No. 145.111.070 L = 70 mm
3 × Item No. 145.111.135 L = 135 mm
2 × Item No. 145.112.035 L = 35 mm
2 × Item No. 145.112.075 L = 75 mm
2 × Item No. 145.112.150 L = 150 mm
2 × Item No. 145.125.055 W = 55 mm
1 × Item No. 145.126.060 Ø = 60 mm
1 × Item No. 145.129.390 for 12 screwdrivers
1 × Item No. 145.129.227 for 10 wrenches
1 × Item No. 145.130.200 for 14 drills

Item No.	Δ g
145.100.900	2270

Height: ↓ Width: ↔ Depth: ↗

MOBILIO PRO

Accessories for perforated panels



Universal container for hanging panel

5 pieces

Item No.	± (W × H × D) mm	ΔΔ _g
198.005.102	75 × 90 × 50	1 pc. = 30



Storage compartment for cans

Practical storage solution for hanging on the perforated panel.

Item No.	± (W × H × D) mm	ΔΔ _g
3964-29-01	330 × 100 × 100	710



Open-fronted blue storage boxes and bracket

Storage boxes available in 3 sizes.
(Bracket 3964-29-11 (1) is required for perforated panel mounting).

No.	Item No.	± (W × H × D) mm	ΔΔ _g
1	3964-29-11	440 × 54 × 15,5	310
2	3964-29-14	105 × 75 × 140	50
3	3964-29-15	140 × 125 × 220	150
4	3964-29-16	140 × 125 × 270	200



Paper roll holder

For paper rolls up to Ø 300 mm,
tube diameter = 20 mm
For hanging on the perforated panel.

Item No.	± (W × H × D) mm	ΔΔ _g
145.143.010	300 × 150 × 220	1600



Storage compartment for cans and small parts

For hanging on the perforated panel.

Item No.	± (W × H × D) mm	ΔΔ _g
145.143.011	215 × 60 × 90	500



Storage compartment with handle for 8 cans

Compartment size 75 × 80 mm,
large handle, variably divisible
For hanging on the perforated panel.

Item No.	± (W × H × D) mm	ΔΔ _g
145.143.012	300 × 60 × 90	2500



Waste garbage can

For hanging on the perforated panel.

Item No.	± (W × H × D) mm	ΔΔ _g
145.143.013	300 × 300 × 160	3500



Plastic magnetic bowl

For holding various small parts, attachment
to workshop trolleys, metal cabinets, etc.
Sturdy plastic version.

Color	Item No.	± Ø mm	ΔΔ _g
Red	2949-1	150	360
Grey	2949-2	150	360
Green	2949-3	150	360

MOBILIO PRO

Other accessories



LED downlight for MOBILIO PRO

20 W, 120 SMD, 1800 Lumen

Flexible use

Magnetic or bracket mounting

Can be connected in series

With 230V / 5 m mains cable

On/off switch

5000 Kelvin

IP65 / IK08



Item No.	± [W × H × D] mm	Δ kg
32077-60	590 × 124 × 43	1,2



Parallel Steel Bench Vise

Drop forged, with swivel base and tubular clamping jaw, exchangeable hardened clamping jaws, forward opening, with anvil and beak, black enameled. Jaws, guideway and anvil grinded and hardened.



Item No.	± [L1 × L2 × L3] mm	Δ kg
2961	100 × 120 × 65	7,5
2962	125 × 140 × 70	11
2963	150 × 170 × 80	14,5
2964	200 × 200 × 90	20,5

Automatic air hose reel 15+1 m

The housing can be swivelled up to 180°C, with automatic return spring and locking system

Housing material: PP

Reinforced hose made from Hybrid Polymer

Working pressure up to 18 bar

Temperature: -5°C to 45°C



With wall mounting

Item No.	± [W × H × D] mm	Δ kg
31041	210 × 320 × 390	5,5






MOBILIO PRO

EVA tool inlays, all sizes



Overview of the modular system suitable for **MOBILIO PRO**



MOBILIO PRO

Tool inlays



200 × 200 × 40 mm | Δ 0,10 g


Art. 105.401.052

PRO LINE EVA placeholder inlay 20 × 20 cm

Suitable for small parts and tools
1 compartment

XS

20 × 20



200 × 400 × 40 mm | Δ 1.2 kg



CrV

S2
quality

Art. 105.401.001

PRO LINE EVA 1/4" socket inlay 20 × 40 cm 46 pcs.

1/4" ratchet
1/4" extensions: 50, 100 + 150 mm
1/4" sockets: 3.5 - 4 - 4.5 - 5 - 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
1/4" slotted screwdriver bit sockets: 4 - 5.5 - 6.5 mm
1/4" PH screwdriver bit sockets: PH1 - PH2 - PH3
1/4" PZ screwdriver bit sockets: PZ1 - PZ2 - PZ3
1/4" TX screwdriver bit sockets: T8 - T10 - T15 - T20 - T25 - T27 - T30 - T40
1/4" Hexagon screwdriver bit sockets: 3 - 4 - 5 - 6 - 7 - 8 mm
1/4" bit adapter
1/4" universal joint
1/4" sliding handle adapter
1/4" drive Handle
1/4" bit Holder
For manual operation
Chrome vanadium

S

20 × 40



200 × 400 × 40 mm | Δ 2.45 kg



CrV

Art. 105.401.002

PRO LINE EVA 3/8" socket inlay 20 × 40 cm 32 pcs.

3/8" ratchet
3/8" extensions: 75 + 250 mm
3/8" sockets: 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 24 mm
3/8" deep sockets: 10 - 11 - 12 - 13 - 14 - 15 - 17 - 19 mm
3/8" spark plug sockets: 16 + 21 mm
3/8" universal joint
1/2" to 3/8" sliding handle adapter
3/8" to 1/4" adapter
1/4" to 3/8" bit holder
For manual operation
Chrome vanadium



200 × 400 × 40 mm | Δ 3.15 kg



CrV

Art. 105.401.003

PRO LINE EVA 1/2" socket inlay 20 × 40 cm, 22 pcs.

1/2" ratchet
1/2" extensions: 125 + 250 mm
1/2" sockets: 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 24 - 27 - 30 - 32 - 34 mm
1/2" universal joint
3/8" to 1/2" sliding handle adapter
For manual operation
Chrome vanadium


MOBILIO PRO Tool inlays

S

20 × 40



200 mm × 400 mm × 40 mm | Δ 1.2 kg



Art. 105.401.004

PRO LINE EVA combination spanner inlay 20 × 40 cm, 12 pcs.

Size: 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm

Jaw 15° offset

15° angled ring side


DIN 3113 Form A, ISO 3318, ISO 7738

Fully polished mirror finish

Chrome alloy steel



200 × 400 × 40 mm | Δ 1.6 kg



Art. 105.401.005

PRO LINE EVA combination spanner inlay 20 × 40 cm, 8 pcs.

Size: 5.5 - 6 - 7 - 20 - 21 - 22 - 23 - 24 mm


Jaw 15° offset

15° angled ring side

DIN 3113 form A, ISO 3318, ISO 7738

Fully polished mirror finish

Chrome alloy steel



200 × 400 × 40 mm | Δ 1.5 kg



Art. 105.401.006

PRO LINE EVA double ended ring spanner inlay 20 × 40 cm, 8 pcs.

Size: 6 × 7 - 8 × 9 - 10 × 11 - 12 × 13 - 14 × 15 - 16 × 17 - 18 × 19 - 20 × 22 mm

DIN 838, ISO 3318, ISO 1085, ISO 10104


Offset 70° on both sides

Fully polished mirror finish

Chrome vanadium



200 × 400 × 40 mm | Δ 1.97 kg



Art. 105.401.034

PRO LINE EVA "S" double open-end wrench set inlay 20 × 40 cm, 10 pcs.

Size: 6 × 7 - 8 × 9 - 1 × 11 - 12 × 13 - 14 × 15 - 16 × 17 - 18 × 19 - 21 × 22 -

24 × 27 - 30 × 32 mm

DIN 311, ISO 3318, ISO 185, ISO 112

Chrome alloy steel



200 × 400 × 40 mm | Δ 0.62 kg




Art. 105.401.007

PRO LINE EVA circlip pliers inlay 20 × 40 cm, 4 pcs.

Circlip pliers, straight, closing, for inner rings
Circlip pliers, straight, opening, for inner rings
Circlip pliers, angled 90°, closing, for outer rings
Circlip pliers, angled 90°, opening, for outer rings
For circlips from Ø 19 - 60 mm
Hardened tips

S

20 × 40




200 × 400 × 40 mm | Δ 1.8 kg

Art. 105.401.009

PRO LINE EVA Files inlay 20 × 40 cm, 11 pcs.

Flat file, 320 mm
Half round file, 320 mm
Round file, 320 mm
Square file, 320 mm
Triangular file, 320 mm
With ergonomic 2-component handle
Needle file, flat - half round - round - square - triangular - knife
With a dipped handle




200 × 400 × 40 mm | Δ 1.94 kg



Art. 105.401.010

PRO LINE EVA 1/2" socket inlay 20 × 40 cm, 19 pcs.

1/2" hexagon sockets 55 mm: 5 - 6 - 7 - 8 - 10 mm
1/2" multi-tooth sockets 55 mm: M5 - M6 - M8 - M10 - M12
1/2" hexagon sockets 100 mm: 6 - 7 - 8 - 10 - 12 mm
1/2" multi-tooth sockets 100 mm: M5 - M6 - M8 - M10



200 × 400 × 40 mm | Δ 1.94 kg



Art. 105.401.011

PRO LINE EVA 1/2" socket inlay 20 × 40 cm, 19 pcs.

1/2" TX sockets E-TX: E10 - E12 - E14 - E16 - E18 - E20 - E22 - E24
1/2" TX sockets 55 mm: TX T30 - T40 - T45 - T50 - T55 - T60
1/2" TX sockets 100 mm: TX T30 - T40 - T45 - T50 - T55



MOBILIO PRO Tool inlays

S

20 x 40



200 x 400 x 40 mm | Δ 1.1 kg



MADE IN
GERMANY

Art. 105.401.012

PRO LINE EVA screwdriver set slot PH inlay 20 x 40 cm, 8 pcs.

MADE IN GERMANY

PRO LINE slotted screwdriver: 4 - 5 - 5.5 - 6 - 8 mm

PRO LINE PH screwdriver PH: PH1 - PH2

Ergonomic gel cushion grip that moulds to the hand

3-component handle with anti-roll protection

Smooth, seamless handle for maximum comfort

Cross hole on the screwdriver head

Screw symbols on the handle cap


Precision tip guarantees high fitting accuracy and durability equipped with high quality magnets

Continuous hard core on handle


Blade made of special chrome vanadium alloy

Above DIN/ISO requirements

Optimal power transmission



200 x 400 x 40 mm | Δ 1.1 kg



MADE IN
GERMANY

Art. 105.401.013

PRO LINE EVA screwdriver set TX inlay 20 x 40 cm, 10 pcs.

MADE IN GERMANY

PRO LINE TX screwdriver:

TX7 - TX8 - TX9 - TX10 - TX15 - TX20 - TX25 - TX27 - TX30 - TX40

Ergonomic gel cushion grip that moulds to the hand

3-component handle with anti-roll protection

Smooth, seamless handle for maximum comfort

Cross hole on the screwdriver head

Screw symbols on the handle cap

Precision tip guarantees high fitting accuracy and durability equipped with high quality magnets

Continuous hard core on handle

Blade made of special chrome vanadium alloy

Above DIN/ISO requirements

Optimal power transmission





200 x 400 x 40 mm | Δ 2.16 kg

Art. 105.401.015

PRO LINE EVA striking tool inlay 20 x 40 cm, 11 pcs.

German engineer hammer, hickory: 500 g
Soft face Hammer, hickory, Ø 35 mm, PU - nylon inserts: 360 g
Flat chisel: 18 - 22 mm
Pin punches: 2 - 3 - 4 - 5 - 6 - 8 mm
Centre punch: No. 2, 120 mm

S

20 x 40



200 x 400 x 40 mm | Δ 1.08 kg

Art. 105.401.016

PRO LINE EVA cutting tool inlay 20 x 40 cm, 21 pcs.

Snap-off knife: 9 mm
Snap-off knife: 18 mm
Replacement blades (10 pcs.): 9 mm
Replacement blades (5 pcs.): 18 mm
Professional hacksaw: 300 mm




200 x 400 x 40 mm | Δ 1.5 kg


Art. 105.401.017

PRO LINE EVA HIGHTECH plier inlay 20 x 40 cm, 4 pcs.

Combination plier: 180 mm / 7"
Diagonal cutter: 160 mm / 6.1/4"
Flat round plier: 205 mm / 8"
Water pump plier: 240 mm / 9.1/2"



200 x 400 x 40 mm | Δ 1.2 kg



Art. 105.401.018

PRO LINE EVA ratcheting combination wrenches inlay 20 x 40 cm, 12 pcs.

Ratcheting combination wrenches, 72 teeth, 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 mm
Ratcheting combination wrench, 75 teeth, 19 mm
Ratcheting angle 5°
Straight version
15° jaw position
Bright chrome plated
Chrome vanadium

MOBILIO PRO Tool inlays

S

20 x 40



200 x 400 x 40 mm | Δ 1.55 kg

Art. 105.401.023

PRO LINE EVA locking pliers / sheet metal shears inlay 20 x 40 cm, 4 pcs.

Sheet metal shears: 250 mm / 10"

Locking pliers: 175 mm / 7"

Locking pliers: 250 mm / 10"

Vise grip: 150 mm / 6"



200 x 400 x 40 mm | Δ 1.18 kg

Art. 105.401.026

PRO LINE EVA plier / shear inlay 20 x 40 cm, 4 pcs.

Pincers: 200 mm / 8"

Cable stripper: 160 mm / 6.1/2"

Cable stripper and crimping pliers: 1,5 - 6 mm³

Universal shears: 150 mm



200 x 400 x 40 mm | Δ 3.99 kg



Art. 105.401.027

PRO LINE EVA 1/2" impact wrench inlay 20 x 40 cm, 17 pcs.

1/2" impact wrench, 920 Nm

1/2" impact sockets: 10 - 12 - 13 - 14 - 15 - 17 - 19 - 21 - 22 - 24 mm

1/2" impact sockets, for rims: 17 - 19 - 21 - 22 - 24 mm

1/2" extension: 125 mm

Chrome molybdenum



200 x 400 x 40 mm | Δ 2.8 kg



Art. 105.401.028

PRO LINE EVA 1/2" impact socket inlay 20 x 40 cm, 20 pcs.

1/2" impact sockets:

10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 27 - 30 - 32 - 36 mm

1/2" impact extension: 125 mm

For machine operation

Chrome molybdenum



200 x 400 x 40 mm | Δ 4.26 kg



Art. 105.401.029

PRO LINE EVA 1/2" impact socket inlay 20 x 40 cm, 15 pcs.

1/2" deep impact sockets:

13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 24 - 27 - 30 - 32 - 36 mm


1/2" impact extension: 125 mm

For machine operation

Chrome molybdenum

S

20 x 40



200 x 400 x 40 mm | Δ 0.83 kg




Art. 105.401.031

PRO LINE EVA T-handle screwdriver hexagon socket inlay 20 x 40 cm, 7 pcs.

Hexagon ballpoint T-Handle screwdriver

Width across flats: 3 - 4 - 5 - 6 - 7 - 8 - 10 mm

With ergonomic 2-component handle



200 x 400 x 40 mm | Δ 3.233 kg



Art. 105.401.032

PRO LINE EVA 1/2" socket wrench inlay 20 x 40 cm, 33 pcs.

Short version 55 mm

Hexagon socket: 5 - 6 - 7 - 8 - 10 - 12 mm

Socket TX: T30 - T40 - T45 - T50 - T55 - T60


Socket multi-tooth: M5 - M6 - M8 - M10 - M12 - M14

Long version 100 mm

Hexagon socket: 6 - 7 - 8 - 10 - 12 mm

Socket TX: T30 - T40 - T45 - T50 - T55

Socket multi-tooth: M5 - M6 - M8 - M10 - M12



200 x 400 x 40 mm | Δ 2.613 kg



Art. 105.401.038

PRO LINE EVA pipe head wrench inlay 20 x 40 cm, 13 pcs.


Elbow milled open wrench, double-hex x hex

7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm

MOBILIO PRO Tool inlays

S

20 x 40



200 x 400 x 40 mm | Δ 0,18 kg

Art. 105.301.037

PRO LINE EVA placeholder inlay 20 x 40 cm

Suitable for small parts and tools
1 compartment



200 x 400 x 40 mm | Δ 0.18 kg

Art. 105.401.039

PRO LINE EVA small parts inlay 20 x 40 cm

8 subdivisions



200 x 400 x 40 mm | Δ 2,466 kg



Art. 105.401.041

PRO LINE EVA ratchet combination wrench inlay 20 x 40 cm, 14 pcs.

Width wrench: 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 22 - 24 mm
Switch lever for right and left rotation
High quality 72 tooth ratchet mechanism
5° return angle
Straight design
15° jaw position
Bright chrome plated
Chrome vanadium



200 x 400 x 40 mm | Δ 0.6 kg




Art. 105.401.043

PRO LINE EVA T-handle screwdriver TX inlay 20 x 40 cm, 7 pcs.

TX T-handle screwdriver: T10 - T15 - T20 - T25 - T27 - T30 - T40
With ergonomic 2 component handle



200 × 400 × 40 mm | Δ 2.8 kg




Art. 105.401.045

PRO LINE EVA open-ended double-ended spanner inlay 20 × 40 cm, 13 pcs.

Ratchet spanner with hinge: 8 - 10 - 11 - 12 - 13 - 14 mm
Open-ended double box spanners metric: 9 × 11 - 10 × 12 - 13 × 14 - 15 × 17 mm
Open-ended double box spanners INCH: 3/8 "x7/16" - 1/2 "x9/16" - 5/8 "x11/16"

S

20 × 40




200 × 400 × 40 mm | Δ 1.2 kg

Art. 105.401.046

PRO LINE EVA measuring tool inlay, 20 × 40 cm, 9 pcs.

Caliper 150 mm (also suitable with digital caliper Art. No. 2972)
Steel rule 300 mm
Feeler blade gauge 0.05-0.8 mm
Outside micrometer 0-25 mm
Protractor
Flat angle
Telescopic magnetic finder
Measuring tape 5 m
Double meter woodspanners INCH: 3/8 "x7/16" - 1/2 "x9/16" - 5/8 "x11/16"



200 × 400 × 40 mm | Δ 0.91 kg

Art. 105.401.048

PRO LINE EVA KNIPEX plier inlay 20 × 40 cm, 4 pcs.

Combination plier: 180 mm / 7"
Diagonal cutter: 160 mm / 6.1/4"
Flat round plier: 200 mm / 8"
Water pump plier: 250 mm / 9.1/2"



200 × 400 × 40 mm | Δ 1.73 kg



Art. 105.401.051

PRO LINE EVA L-key wrench inlay 20 × 40 cm, 28 pcs.


L-key wrenches: 1.5 - 2 - 2.5 - 3 - 4 - 5 - 6 - 7 - 8 - 10 mm
TX L-key wrenches: T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50
TX L-key wrenches with hole: TS10 - TS15 - TS20 - TS25 - TS27 - TS30 - TS40 - TS45 - TS50

MOBILIO PRO Tool inlays



L

40 x 60




400 x 600 x 40 mm | Δ 7.2 kg



Art. 105.502.026

PRO LINE EVA socket wrench inlay, 1/4" + 3/8" + 1/2", 60 x 40 cm, 125 pcs.

- 1/4" reversible ratchet
- Sockets, 3.5 - 4 - 4.5 - 5 - 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
- Sockets, deep, 4 - 5 - 6 - 7 - 8 - 9 - 10 mm
- Bit sockets, slotted 4 - 5.5 - 6.5 mm
- Bit sockets, PH1 - PH2 - PH3
- Bit sockets, PZ1 - PZ2 - PZ3
- Bit sockets, TX T8 - T10 - T15 - T20 - T25 - T27 - T30 - T40
- Bit sockets, TX-TR T10 - T15 - T20 - T25 - T27 - T30 - T40
- Bit sockets, hex 3 - 4 - 5 - 6 - 7 - 8 mm
- Bit sockets, E-TX E4 - E5 - E6 - E7 - E8 - E10 - E11
- Universal joint
- Extension, 50 and 100 mm
- Sliding handle with adapter
- Drive handle
- Bit adapter
- Ratchet handle, 3/8"
- Sockets, 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 24 mm
- Sockets, deep, 10 - 11 - 12 - 13 - 14 - 15 - 17 - 19 mm
- Sockets, E-TX E10 - E11 - E12 - E14 - E16 - E18 - E20
- Spark plug sockets, 16 - 18 - 21 mm
- Universal joint
- Extension, 75 and 250 mm
- Sliding handle adapter
- Adapter, 3/8" to 1/4"
- Ratchet handle, 1/2"
- Sockets, 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 24 - 27 - 30 - 32 mm
- Universal joint
- Extension, 125 and 250 mm
- Sliding handle adapter



600 × 400 × 40 mm | Δ 5.73 kg

INCH

Art. 105.502.032

PRO LINE EVA inch tool inlay, 60 × 40 cm, 79 pcs.

1/4" – 9/16" six-point socket, 25 mm
 3-pc. low-profile adapter set
 3/8" deep sockets: 3/8" / 7/16" / 1/2" / 9/16" / 11/16" / 3/4" / 7/8"
 3/8" sockets:
 1/4" / 5/16" / 3/8" / 7/16" / 1/2" / 9/16" / 5/8" / 11/16" / 3/4" / 13/16" / 7/8" / 15/16" / 1"
 1/4" sockets: 3/16" / 7/32" / 1/4" / 9/32" / 5/16" / 11/32" / 7/16" / 1/2"
 1/4" deep sockets: 3/16" / 7/32" / 1/4" / 9/32" / 5/16" / 11/32" / 3/8" / 7/16" / 1/2"
 1/4" hex-bit sockets: 1/8" / 5/32" / 3/16" / 1/4"
 9-pc. ball-end hex-key set (inch)
 3/8" spark-plug sockets: 5/8" / 13/16"
 3/8" hex-bit sockets: 1/8" / 5/32" / 3/16" / 7/32" / 1/4" / 5/16" / 3/8"
 Combination wrenches, fully polished:
 1/4" / 5/16" / 3/8" / 7/16" / 1/2" / 9/16" / 5/8" / 11/16" / 3/4" / 13/16" / 7/8" / 15/16" / 1"
 Chrome-Vanadium

L

60 × 40



600 × 400 × 40 mm | Δ 5.98 kg



Art. 105.502.033


PRO LINE EVA wrench and torque wrench inlay, 60 × 40 cm, 44 pcs.

Torque wrench Ergokraft, item no. 304.400.200, 1/2", 40 – 200 Nm
 Combination wrenches, 5.5 – 32 mm
 Adjustable wrench Ergokraft, 150 mm / 6"
 Adjustable wrench Ergokraft, 200 mm / 8"
 Spherical head hex keys, 1.5 – 1 mm 9 pcs.
 Key wrenches, TX T1 – T5 9 pcs.

Art. 105.503.033

PRO LINE EVA wrench inlay, 60 × 40 cm, 43 pcs.

Without Art. 304.400.200, torque wrench 1/2", 40 – 200 Nm



600 × 400 × 40 mm | Δ 7.04 kg

Art. 105.502.029


PRO LINE bodywork tool inlay, 60 × 40 cm, 16 pcs.

Panel beating tools, wedge profile - comma dolly - toe dolly
 Shrinking and flat faced bumping hammer
 Flat faced bumping and round finishing pick hammer
 Panel beating and planishing hammer, serrated
 Panel beating and planishing hammer, straight
 Panel beating and planishing hammer, domed
 Auto body file clamp, 35 mm
 Auto body file blades, 9/" - 12/" - 15/"
 Auto body spoon bar
 Auto body chisel
 Mini compressed air blow gun
 Snap-off knives

MOBILIO PRO Tool inlays

L

60 x 40



400 x 600 x 40 mm | 2.16 kg

Art. 105.502.027

PRO LINE EVA pliers inlay, 60 x 40 cm, 11 pcs.

Pliers wrench 250mm
Side cutting nippers 160 mm
Lever side cut.nipper 200 mm
Long nose pliers 205 mm
Long nose pliers 45° 205 mm
Circlips pliers A2
Circlips pliers A21
Circlips pliers J2
Circlips pliers J21
Wire stripping pliers 160 mm
Combination pliers 180 mm




400 x 600 x 40 mm | 2.23 kg



Art. 105.502.031

PRO LINE KNIPEX EVA pliers inlay, 60 x 40 cm, 12 pcs.

Side cutting nippers 180 mm
Combination pliers 180 mm
Long nose pliers 200 mm
Long nose pliers 45° 200 mm
Wire stripping pliers 160 mm
Circlip pliers for inner rings
Circlip pliers for inner rings 90°
Circlip pliers outer rings
Circlip pliers outer rings 90°
Crimping pliers 180 mm
Pincers 180 mm
Water pump pliers 250 mm



400 x 600 x 40 mm | 15 kg




Art. 105.502.030

PRO LINE EVA 3/4" socket spanner inlay, 60 x 40 cm, 21 pcs.

3/4" extendable ratchet: 500 - 800 mm, 42 teeth
3/4" sockets: 19 - 21 - 22 - 23 - 24 - 26 - 27 - 29 - 30 - 32 - 35 - 36 - 38
- 41 - 46 - 50 mm

Optional with digital torque adapter 100-500 Nm (Art. 4081-34)
Optional with digital torque adapter 200-1000 Nm (Art. 4081-341)





200 × 600 × 40 mm | Δ 5,98 kg

1/2"

Art. 105.602.001

PRO LINE EVA torque inlay 1/2", 20 × 60 cm, 14 pcs.

Click-type torque wrench 1/2" 40–200 Nm

Reversible flex handle, 45 teeth


Impact sockets with plastic coating: 17 - 19 - 21 mm

Extension: 75 mm

1/2" socket set: 13 - 15 - 16 - 17 - 18 - 19 - 21 - 22 mm

M

20 × 60



200 × 600 × 40 mm | Δ 0,35 kg

Art. 105.602.002

PRO LINE EVA placeholder inlay 20 × 60 cm

Suitable for small parts and tools

1 compartment



MOBILIO PRO

Accessories for drawers

Maximum organization, uncompromising quality: the U-profile divider system for your MOBILIO PRO and workshop trolley drawers

Bring structure to every drawer. With our adjustable U-profile divider system, you can create space for tools and small parts – **perfectly matched to MOBILIO PRO and made in Germany workshop trolleys.**




Precise slot grid: thanks to the fine subdivision, you can flexibly adapt the compartment sizes to your inventory.

Material: high-quality metal, powder-coated.

Perfect dimensions: with a width of 600 mm, a depth of 200 mm and a height of 70 mm, the system makes optimal use of the available space.

Easy installation: the system can be inserted intuitively, also in combination with our EVA tool inserts, and can be reconfigured at any time if required.

Layout options in the drawers



Art. Nr. 145.200.000

U-profile divider system

adjustable, for flexible organization and structured storage in the **MOBILIO PRO** workshop system as well as in workshop trolleys.

600 × 70 × 200 mm (W × H × D)

Δ 2,19 kg

Art. Nr. 145.200.001

Metal divider panel

as an extension for the U-profile divider system, for additional subdivision and the creation of further compartments. Ideal for even more visibility and structured storage. 1 pc.


193 × 70 × 1 mm (W × H × D)

Δ 0,11 kg

Bring order to your drawers!

Our insert bins in four sizes and two heights (45 & 63 mm) allow you to store tools, small items and anything else you want to keep within easy reach. Perfect for a structured workshop and greater efficiency in everyday work.

Can be flexibly combined, robust and practical - for maximum tidiness in the smallest of spaces!




Insert box sets suitable for drawer size 600 × 600 × 75 mm (W × D × H)




Item No. 198.109.000
Insert bin set, 31 pcs.
45 × 594 × 594 mm (H × W × D)

Item No. 198.109.001
Insert bin set, 31 pcs.
63 × 594 × 594 mm (H × W × D)




Item No. 198.109.004
Insert bin set, 52 pcs.
45 × 594 × 594 mm (H × W × D)

Item No. 198.109.005
Insert bin set, 52 pcs.
63 × 594 × 594 mm (H × W × D)



Item No. 198.109.002
Insert bin set, 41 pcs.
45 × 594 × 594 mm (H × W × D)

Item No. 198.109.003
Insert bin set, 41 pcs.
63 × 594 × 594 mm (H × W × D)



Item No. 198.109.006
Insert bin set, 55 pcs.
45 × 594 × 594 mm (H × W × D)

Item No. 198.109.007
Insert bin set, 55 pcs.
63 × 594 × 594 mm (H × W × D)

MOBILIO PRO

Built for demanding applications.
Designed for everyday organisation.



Subject to technical changes.
We reserve the right to change
all information in this catalogue
regarding product features,
variants and designs at any time
and without prior notice.
Errors and omissions excepted.
All photographs are for guidance
only and do not necessarily
represent the products illustrated.

Distribution:
KRAFTWERK Group AG
export@kraftwerktools.com

Your specialized dealer: